

Amendment and Listing of the Claims:

1. (Currently Amended): A method of stabilizing and deodorizing from fishy taste ethyl ester concentrates of polyunsaturated fatty acids (PUFAs) which contain more than 50% of PUFA ethyl ester(s), ~~by~~ comprising:

(a) adding a mixture of rosemary or sage extract, ascorbyl palmitate and tocopherols to the ethyl ester concentrates before submitting the concentrates to a standard deodorization process and

(b) adding a crystallization inhibitor to the concentrates before or after the deodorization process.

2. (Previously Presented): The method of claim 1 wherein further additives, able to prevent deterioration of PUFAs, are added to the concentrates before or after the deodorization process.

3. (Canceled)

4. (Previously Presented): The method of claim 1, wherein a concentrate of ethyl esters of eicosapentaenoic acid and docosahexaenoic is deodorized.

5. (Canceled)

6. (Previously Presented): The method of claim 1, wherein 0.05-4.0% of rosemary or sage extract is added.

7. (Previously Presented): The method of claim 1, wherein 0.01-0.04% of ascorbyl palmitate is added.

8. (Previously Presented): The method of claim 1, wherein 0.05-0.5% of tocopherols is added.
9. (Previously Presented): The method of claim 1, wherein the crystallization inhibitor is a lecithin.
10. (Previously Presented): The method of claim 9, wherein 0.01%-1.0% of a lecithin is added.
11. (Previously Presented): The method of claim 1, wherein 0.001-0.01% of citric acid is added.
12. (Previously Presented): The method of claim 1 wherein steam deodorization is used.
13. (Previously Presented): The method of claim 12, wherein the vacuum steam deodorization is effected at a temperature between about 120°C and about 150°C at about 0.1-10 mbar.
14. (Previously Presented): Stabilized PUFA ester concentrates made by the method of claim 1.
15. (Canceled).
16. (Previously Presented): A method of enriching food with PUFA esters comprising adding stabilized PUFA ester concentrates according to claim 14 to the food.
17. (Previously Presented): The method of claim 6, wherein 0.1-0.2% of rosemary or sage extract is added.
18. (Previously Presented): The method of claim 7, wherein 0.025% of ascorbyl palmitate is added.

19. (Previously Presented): The method of claim 8, wherein 0.2% of tocopherols is added.

20. (Previously Presented): The method of claim 9, wherein 0.02%-0.05% of a lecithin is added.

21. (Previously Presented): The method of claim 11, wherein 0.005% of citric acid is added.